


2015 – 2016 Winter Severity Index

STATION	DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		Total		WSI
	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	
Alvin	No Report		No Report		No Report		No Report		No Report		0	0	0
Antigo	0	0	9	0	7	0	1	0	0	0	17	0	17
Barnes	0	0	13	0	8	0	2	0	1	0	24	0	24
Barron	0	0	11	0	10	0	0	0	0	0	21	0	21
Brule	0	0	10	0	8	4	2	0	0	0	20	4	24
Copper Falls SP	No Report		No Report		No Report		No Report		No Report		0	0	0
Crandon	0	0	12	0	7	0	No Report		No Report		19	0	19
Eagle River	0	0	11	0	7	0	3	0	0	0	21	0	21
Escanaba Lake	0	0	12	0	7	0	1	0	0	0	20	0	20
Florence East	0	0	13	0	6	4	5	0	0	0	24	4	28
Gile	0	0	10	4	4	27	4	7	0	0	18	38	56
Gordon	No Report		No Report		No Report		No Report		No Report		0	0	0
Grantsburg	0	0	10	0	7	0	0	0	0	0	17	0	17
Hayward	0	0	11	0	10	2	2	0	0	0	23	2	25
Ladysmith	0	0	12	0	11	0	0	0	0	0	23	0	23
Mercer	0	0	12	1	9	25	3	2	1	0	25	28	53
Merrill	0	0	10	0	7	0	0	0	0	0	17	0	17
Minong	0	0	13	0	10	0	2	0	0	0	25	0	25
Park Falls	0	0	11	0	10	1	1	0	0	0	22	1	23
Pattison	0	0	10	0	11	0	No Report		No Report		21	0	21
Pembine	0	0	12	0	6	0	3	0	0	0	21	0	21
Prentice	0	0	10	0	8	0	1	0	1	0	20	0	20
Rhinelanders	0	0	11	0	7	0	0	0	0	0	18	0	18
Saxon	0	0	11	0	2	14	0	0	0	0	13	14	27
Spooner	0	0	10	0	10	0	0	0	0	0	20	0	20
Summit Lake	0	0	11	0	7	0	1	0	0	0	19	0	19
Tomahawk	0	0	12	0	7	0	1	0	0	0	20	0	20
Trout Lake	0	0	11	0	8	0	3	0	1	0	23	0	23
Upson	0	0	8	3	5	27	0	7	0	3	13	40	53
Wausaukee	0	0	9	0	6	0	1	0	0	0	16	0	16
Webster	0	0	9	0	8	0	0	0	0	0	17	0	17

2015 – 2016 Winter Severity Index


White Lake	0	0	9	0	5	0	1	0	0	0	15	0	15
Winter	0	0	12	0	10	0	1	0	0	0	23	0	23
STATION	DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		Total		WSI
	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	TEMP	SNOW	
Woodruff	0	0	11	0	7	0	1	0	0	0	19	0	19
Washington													
Island	0	0	0	0	3	0	0	0	0	0	3	0	3
Casco	0	0	5	0	3	0	No Report		No Report		8	0	8
Ephraim	0	0	1	0	3	0	No Report		No Report		4	0	4
Peshtigo	0	0	5	0	4	0	0	0	0	0	9	0	9
Two Rivers	No Report		No Report		No Report		No Report		No Report		0	0	0
Appleton	0	0	8	0	5	0	0	0	0	0	13	0	13
Brillion	0	0	8	0	5	0	0	0	0	0	13	0	13
Fond du Lac	0	0	9	0	5	0	0	0	No Report		14	0	14
Manitowoc	0	0	8	0	3	0	0	0	0	0	11	0	11
Denmark	0	0	8	0	5	0	No Report		No Report		13	0	13
Oconto Falls	0	0	8	0	2	0	No Report		No Report		10	0	10
Oshkosh	0	0	8	0	4	0	0	0	No Report		12	0	12
Sherwood	No Report		No Report		No Report		No Report		No Report		0	0	0
Shiocton	0	0	8	0	4	0	0	0	0	0	12	0	12
Sturgeon Bay	0	0	4	0	3	0	No Report		No Report		7	0	7
Chilton	No Report		No Report		No Report		No Report		No Report		0	0	0
Reedsville	No Report		No Report		No Report		No Report		No Report		0	0	0
Shawano	0	0	8	0	3	0	0	0	0	0	11	0	11
Waupaca	No Report		No Report		No Report		No Report		No Report		0	0	0
Wisconsin Rapids	No Report		No Report		No Report		No Report		No Report		0	0	0
Eau Claire	0	0	9	0	5	0	0	0	0	0	14	0	14
Darboy	0	0	8	0	4	0	0	0	0	0	12	0	12
Black River Falls	0	0	11	1	8	0	No Report		No Report		19	1	20
Neillsville	0	0	11	0	8	0	2	0	No Report		21	0	21
Sandhill	0	0	10	0	7	0	1	0	0	0	18	0	18

December 2015 Winter Severity Index




This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and over 100 is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index through Jan. 2016




This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and over 100 is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index through Feb. 2016




This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and over 100 is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index through Mar. 2016



This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and over 100 is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.

Winter Severity Index through Apr. 2016



This map depicts the Winter Severity Index (WSI) across northern Wisconsin. WSI is calculated by adding the number of days with a snow depth of at least 18 inches to the number of days when the minimum temperatures were 0°F or below. WSI points accumulate through the winter. WSI of 50 or less is considered mild, 50 to 79 is moderate, 80 to 99 is severe, and over 100 is very severe. Most WSI readings are taken by WDNR biologists across northern Wisconsin, but some readings are from National Weather Service stations. The stations used are displayed on the map. A statistical procedure uses that data to estimate WSI in the areas in between stations. Questions can be directed to DanielJ.Storm@wisconsin.gov.